Uniden

Uniden Australia Pty Ltd

73 Alfred Road Chipping Norton 2170 NSW Tel: 02 9599 3355 | Fax: 02 9599 4018 www.uniden.com.au



PRINT this page

伯 EMAIL a friend

Range Brochure PDF 内 Operating Manual PDF 📝

Introducing Uniden's new range of Digital Compact Cameras.

Combining 7.1 effective megapixels of impressive digital quality with the very latest in sophisticated styling, the UDC-7M is exceptional in both design and performance.

You will never have to miss capturing those precious moments again, as you can now take up to 300 quality photos with the convenience of the UDC-7M super long battery life.

Enjoy picture perfect images with the outstanding capabilities of the Automatic Image Stabiliser - combining the latest in anti-blur technology with 3x optical zoom lens to bring you sharper, clearer results. Taking and reviewing your photos and movie clips couldn't be any easier with the UDC-7M, which also features a huge 2.5-inch LCD monitor and a selection of 15 Automated Shooting Modes.

Available in a stylish black finish, the UDC-7M brings together the best of both elegant styling and outstanding features to bring you the ideal in

тор 🕣

7.1M High Density Digital Images

7.1 mega pixel CCD for High Quality images and suitable for printing 16" X 20" pictures.

Super Long Battery Life

The UDC-7M allows you to take 300 Quality photos using a long lasting lithium Ion battery (CIPA Standard).

Automatic Image Stabiliser

Anti-blur technology (High Sensitivity Mode ISO 800 to achieve optimum image quality). Maximum sensitivity equivalent to ISO 3200 in lamp mode.

High Quality 3 X Optical Zoom

38-114mm (35mm equivalent) lens for incredibly sharp, clear images plus a 4 X digital zoom for a total zoom of 12 times

Large 2.5" TFT LCD Monitor

Large viewing area makes taking shots and reviewing images

Records High Quality Video

Can capture VGA (640 X 480) video at 30 frames per second as a QuickTime Motion JPEG (mov).

PictBridge[™] Compatible

Use the included USB cable to connect to any PictBridge™ enabled printer. Images can be printed directly from the camera.

15 Automated Shooting Modes

Set the camera to take photos in your choice of 15 different modes so you can get the best results. Supported Modes include: auto, sports, portrait, landscape, night portrait, fireworks, lamp, flowers, still photo image with audio, blurreduction, snow & beach, face chaser, monochrome, sepia and vivid.

11 Language Support

English, Japanese, French, Spanish, German, Italian, Chinese (Simplified), Chinese (Normal), Korean, Russian, Dutch

USB 2.0 Supported

Built-In Flash with Red Eye Reduction

:: Uniden Australia ::

23 MB Internal MemoryStylish Compact Design

Designed and Engineered in Japan

Additional Features

CCD

Effective Pixels:	7.13 million pixels
Size:	1/ 2.5 inch
Colour Filter:	Primary Colour (RGB)

LENS, APERTURE & SHUTTER		
Focal Length:	6.3 – 18.9 mm (35mm film equivalent: 38- 114mm)	
Optical Zoom:	3x	
Digital Zoom:	4x	
Focusing:	Normal: (Wide) 10cm-infinity, (Tele): 60cm- infinity	
Range:	Macro: (Wide) 5cm-80cm, (Tele): 60-80cm	
Shutter Speed:	2 □ 1/2000 sec	
Sensitivity:	AUTO, ISO 50/100/200/400/800 (ISO 3200	
Automated Scene Modes:	15 Modes: Auto, Sports, Portrait, Flowers, Landscape, Night Portrait, Fireworks, Lamp, Still Photo Image with Audio, Blur- Reduction, Snow and Beach, Face Chaser, Monochrome, Sepia, Vivid	
LCD MONITOR		
Monitor Type:	2.5-inch Amorphous TFT colour LCD	
LCD Pixels:	Approx. 115,000 pixels	
WHITE BALANCE		
White Balance Mode:	Auto, fine, cloudy, fluorescent, tungsten,	
	one push	
FLASH		
Built-In Flash:	Auto (automatic activation in low and backlight), Red-Eye Reduction, Fill-In (forced activation), Off (no flash)	
Flash Range:	0.4m - 3.8m (Wide) 0.6m - 2.0 (Tele)	
Charging Time:	Approx. 5.5 sec	
IMAGE STORAGE		
Storage Media:	SD Memory Card. MultiMedia Card	
Image Format:	Still Image: Exif 2.2 (JPEG), DPOF Version 1.1 (Digital Print Order Format)	
	Movie: QuickTime (Image : Motion JPEG, Audio : Monaural)	
Number of Recording Pixel	s:Still Image: 7MP: 3072 x 2304 5MP: 2592 x 1944 3MP: 2048 x 1536 1MP: 1024 X 768 0.3MP 640 X 480 Movie: TV: 640 x 480 (30fps) WEB: 320 x 240 (15 fps) WEB-S: 160 X 120 (15fps)	
PLAYBACK SPECIFICATIONS		
Playback Mode Files:		
i layback would I lies.	Still Image: Single, Index (9 Thumbnails),	

Playback Mode Files:	Still Image: Single, Index (9 Thumbnails), Magnification (max 48x), Crop, Contrast Correct, Slide Show with Background Music
	Movie: Normal, Playback, Fast Forward, Slow, Reverse, Pause, Extract a Still Image
Erase Modes:	Erase Single Files, All Files

:: Uniden Australia ::

INTERFACES	
------------	--

INTERFACES	
Computer Interface:	USB 2.0 Full Speed
Video Out:	NTCS/PAL
Audio Out:	Monaural
Other:	SD Memory Card slot, DC in (optional adaptor)
SETUP	
Auto Power Off:	Capture mode: 1, 3, 5 or 10 minutes Play mode: 1, 3, 5, 10 or 30 minutes
Date / Time Stamp:	Captured with image or added for printing
Language:	11 languages – English, Japanese, French, Spanish, German, Italian, Chinese (simplified), Chinese (normal) Korean, Russian, Dutch
POWER SUPPLY	
Power Source:	Lithium Ion Rechargeable Battery w/ charger
Shooting Capacity:	Still Image: approx. 300 shots*
PHYSICAL SPECIFICATIO	DNS
Operating Environment:	Temperature: 0-40° C Humidity: 30-85%
Dimensions:	W x H x D: 91 mm x 55.5 mm x 21.1 mm
Weight:	120g w/o battery card
OTHER	
Included Contents:	1 x UDC-7M Digital Camera, 1 x Li-Ion Battery Pack, 1 x Li-Ion Battery Charger and AC Cable, 1 x Wrist Strap, 1 x A/V Connection Cable, 1 x USB Cable, 1 x Owners Manual, 1 x Safety Manual
Optional Accessories:	SD Memory Card: 512MB, 1GB, 2GB
Internal Memory:	23MB Internal Memory
	тор 🕁