

### Marine

## Range & Accessories

CH

Uniden





# handhelds







- 1 x Charger
- 1 x AC adaptor
- 1 x Belt Clip
- 1 x Carabiner Clip
- 1 x Owner's Manual

- 1 x Rechargeable Lithium-Ion Poly Battery Pack
- 1 x Alkaline Battery Tray (batteries not included)

1 x Belt Clip

1 x AC Adaptor

1 x Battery Tray 1 x Mounting Hardware

1 x Owner's Manual

1 x Cigarette Lead Cable

- 1 x Charging Cradle with Screws
- 1 x Cigarette Lead Adaptor
- 1 x AC Adaptor
- 1 x Belt Clip
- 1 x Wrist Strap
- 1 x Owner's Manual

02

MARINE Range & Accessories

# in boat radios




1 x Flush Mount Kit

1 x Owner's Manual


1 x Owner's Manual

## Uniden®



## antenna range

Uniden Range of antennas suit Marine Radios. They are engineered and tested to withstand Australia and New Zealand's most harsh conditions.



ATM301	AWM302	AWM301	AWM300	ATM300	ATM201	AWM201	AWM200	ATM200
VHF	VHF	VHF	VHF	VHF	27MHz	27MHz	27MHz	27MHz
1.8m	2.4m	1.8m	1.2m	450mm	1.8m	2.4m	1.8m	600mm
Antenna & Fold-down Base	Antenna Whip	Antenna Whip	Antenna Whip	Antenna & Base	Antenna & Fold-down Base	Antenna Whip	Antenna Whip	Antenna & Base
Includes: 5m cable and FME plug & PL259 adaptor	To be mounted on the Uniden MBMxx Mount Series	To be mounted on the Uniden MBMxx Mount Series	To be mounted on the Uniden MBMxx Mount Series	Includes 5m cable and FME plug & PL259 adaptor	<b>Includes:</b> 5m cable and FME plug & PL259 adaptor	To be mounted on the Uniden MBMxx Mount Series	To be mounted on the Uniden MBMxx Mount Series	Includes: 5m cable and FME plug & PL259 adaptor

## mounts

## Uniden®



**MBM10 Ratchet Fold-down** Single Hinge Round Base Antenna Mount with 5m cable, FME plug & PL259 adaptor

Suitable for: UNIDEN AWM200/300/400 Series Antennas





**Ratchet Fold-down** Double Hinge Round Base Antenna Mount with 5m cable,FME plug & PL259 adaptor

Suitable for:



**MKM200** Flush Mount Bracket

Suitable for:



#### **MBM20**

**Ratchet Fold-down** Single Hinge Square Base Antenna Mount with 5m cable, FME plug & PL259 adaptor

Suitable for:



### **MBM25**

**Ratchet Fold-down** Double Hinge Square Base Antenna Mount with 5m cable,FME plug & PL259 adaptor

Suitable for:



**SPM200** AM/FM Band Splitter for VHF or 27MHZ Antennas

Suitable for:

### VHF OR **27MHZ**



#### **VHF MARINE\***

Ideal for the safety of recreational boaters for ship-to-ship or ship-toshore communications. Uniden VHF Marine Radios operate in the VHF Maritime Mobile Band on the frequency range between 156MHz and 162MHz. All Uniden VHF Marine Radios can communicate on the VHF distress & emergency channel 16, and receive local weather and navigation warnings on VHF channel 67 – the latter dependant on the local broadcast schedule. Modern VHF radios have the additional feature of Digital Selective Calling (DSC) that allows distress alerting at the push of a button.

#### **27MHz MARINE**

Suitable for recreational boaters for use in enclosed waters, the 27MHz Inshore boating radio service band is unique to Australia. Used for ship-to-ship and shipto-shore communication, and capable of distress alerts on 27MHz channel 88 and receiving weather forecasts and marine safety information - provided that the vessel is operating within the coverage area and times of the volunteer services.

\*An operating certificate (SROCP) is required to use a VHF radio. A fee is normally required for certification. More information about licensing of radios and operators can be found at the ACMA website.

06





**DEALER DETAILS** 

### For full range & details call 1300 366 895 or visit uniden.com.au

🛉 facebook.com/Uniden 🌀 instagram.com/UnidenAustralia 💿 youtube.com/c/UnidenAUS 😏 twitter.com/UnidenAustralia

\*Comples with floating JISS water-resistant standards, which means the radio can be submerged in 1.5 metres of water for 1 hour without damage. \*\* Comples with floating JISS water-resistant standards, which means the radio can be submerged in 1 metre of water for 30 minutes without damage. The radios will only meet the ratings above if fully assembled and all rubber seals and sealing plugs are well maintained and correctly fitted. This means that the speaker microphone is attached or the sealing plug is that and on the batter pack (or tray) and antenna are attached and securely fastenced. NOTE: Chargers are not waterproof. A Splashproof: Meets the world standard JIS4 Level. Being defined as having no harmful influence by receiving a splash of water from any direction. † Operating time (in hours): 12 hours based on 5% transmitting, 5% receiving and 90% waiting in low power mode. †† Radio only and when not connected with the carabiner clip. ‡ Please note CH 22 & 23 are used for telementry and telecommand applications, world standard JIS4 Level. Being defined as having no harmful influence by receiving a splash of water from any direction. † Operating time (in hours): 12 hours based on 5% transmitting, 5% receiving and 90% waiting in low power mode. †† Radio only and when not connected with the carabiner clip. ‡ Please note CH 22 & 23 are used for telementry and telecommand applications, woice communications are not permitted on these channels and transmission is inhibited. CH 61, 62 & 63 are for future use and are receive only channels. # Done year warranty for the included accessories. ## FOR VHF DSC usage in Australian waters refer to the Regulations and Safety Warnings page in the owner's manual. 1. 27MHz Marine frequency band is for Australian waters only. AM-CB frequencies are the 27MHz frequencies used in Australian waters only. AM-CB frequencies are the 27MHz frequencies used in Australian waters only. AM-CB frequencies are the 27MHz frequencies used in Australian waters only.