# Uniden®

# IN-CAL DASH TECHNOLOGY



**UNIDEN.COM.AU** 

**CAPTURE THE FACTS, NOT AN OPINION!** 




#### **Uniden** igo cam **KEY RANGE FEATURES**



















Reverse/Rear Camera to record all the action on the road, behind and in front at the optimum clarity.†

**ADVANCED DRIVER ASSISTANCE SYSTEM** 

**♪**))&

**LANE DEPARTURE** 

**HEADLIGHT LOW** 

igo cam 30Dash Cam Black Box

IGO CAM 40Dash Cam Black Box

igo cam  $50^{\rm R}$ Dash Cam Black Box







Dual Camera/2 Channel Recording

2" LCD Colour Screen

3 Axis G-Sensor

Parking Mode\*

Camera Resolution 1080p

P

Camera Resolution 1080p

P

Camera Resolution 1080p

2" LCD Colour Screen

2.7" LCD Colour Screen

3 Axis G-Sensor

3 Axis G-Sensor

P Parking Mode\*

Wide View 120° Super Wide View 140° Ultra Wide View 150°

GPS Geotagging

Parking Mode\*

GPS Geotagging

Large Speedo Display

Large Speedo Display

(00)

 $\bigcirc$ 

0


### Uniden



Direct footage transfer from the iGO Cam 70<sup>R</sup>, 80 & 85<sup>R</sup> to your smartphone via the

**FREE APPS** 











**UNIDEN iGO 85R** 







#### **Uniden** igo cam **KEY RANGE FEATURES**











**SPEED CAMERA** 

 $\bigcirc$ 











LANE DEPARTURE

A visual and audible alarm will alert you when your vehicle i drifting over a lane.



**HEADLIGHT LOW** 

Sensors detect low external lighting conditions, alerting you to turn on the





**GEOTAG VIDEOS** 



3 AXIS G-SENSOR



igo cam 60

Dash Cam Black Box





**UP TO ULTRA WIDE** ANGLE VIEW 150°



LARGE SPEEDO **DISPLAY** 



#### OTHER CONVENIENT **FEATURES**

- Plug & Play quick & easy to set up
   Event Recording Mode

IGO CAM  $85^{R}$ 

Dash Cam Black Box

- Small & Compact Design
   Plug & Play quick & easy to set up
   Event Poperating Meda
   Substitute of the properation Meda

  - 2 Sticker Mounts Rotating Design for Optimal Visibility & Stability

igo cam 30Dash Cam Black Box









Camera Resolution 1080p

2" LCD Colour Screen

Super Wide View 140°

3 Axis G-Sensor

Parking Mode\*





Dual Camera/2 Channel Recording 12

2.7" LCD Colour Screen

Camera Resolution 1080p

3 Axis G-Sensor

Parking Mode\*

Ultra Wide View 150°



igo cam $50^{\rm R}$ 

Dash Cam Black Box











igo cam  $70^{R}$ 

Dash Cam Black Box



Dual Camera/2 Channel Recording 12

Video Resolution 1524p 2.7k

2.7" LCD Colour Screen

3 Axis G-Sensor

Parking Mode\*

Ultra Wide View 150°

Large Speedo Display (00)

Lane Departure Warning<sup>^</sup>

GPS Geotagging





2 Channel Recording Capability (12)

Video Resolution 2160p 4k

2.4" LCD Colour Screen

3 Axis G-Sensor

Ultra Wide View 150°

Large Speedo Display (00)

HDMI Output

GPS Geotagging

Footage Lock Protection

Speed/Red Light Camera Warnings

Wide Dynamic Range Images (WDR)


Parking Mode\*

igo cam80


Dash Cam Black Box





















Water-Resistant \* \*\*COO Dust Proof

Portable Solar

Compass (A)

2 LED Flashlight

**KEEP YOUR** 

DASH CAM ON


WHEN AWAY FROM

THE VEHICLE

**OPTIONAL ACCESSORIES (Not included)** 

ALSO IDEAL FOR CHARGING SMARTPHONES & TABLETS



























































































Camera Resolution 1296p 2k

2.7" LCD Colour Screen

3 Axis G-Sensor

Parking Mode\*

Ultra Wide View 150°

GPS Geotagging

Large Speedo Display (00)









Speed/Red Light Camera Warnings













































## Uniden

## PORTABLE POWERBANK & ROADSIDE ASSISTANCE

UPP 136
Jump Start Kit

UPP 1000 Jump Start Kit



Start Current: 250A | Peak Current: 500A



10,000mAh Start Current: 500A | Peak Current: 1000A



Powerful enough to jumpstart most cars multiple times on one charge




Quickly charge smartphones, tablets & other **USB** electronic devices



Powerful LED flashlight ready when you need it



Shockproof (UPP1000)





(instagram.com/UnidenAustralia



twitter.com/UnidenAustralia

**UNIDEN.COM.AU** 

\*Parking mode or Impact/Movement detection works only with the G Sensor mode turned and an optional Hard Wire Kit installed so when the car and the unit has been powered off, this will turn on the unit if it detects vibration. ^The Lane Departure feature requires correct calibration to capture road markings. Lane Assis is ideal for flowing on main highways with good road markings. Lane Departure will be limited in poor visibility or where there are inconsistent or faded road markings. #For this to work ADAS Detect option must be turned on and it also requires correct calibration. This feature is designed and best suited to open road driving such as a motorway. 1286B (GO CAM 60/70R), 64GB (GO CAM 80), 32GB (GO CAM 50R/40/30) is the maximum Micro SD Capacity, Class 10 minimum speed for recording. Recommended to use MLC/SLC Micro SD Card. (GO CAM85R) 128GB is the maximum capacity Micro SD Card. Uniden recommends using UHS-II cards with UHS Speed Class rating with minimum class U3 for minimum write performance of 30 MB/s. † Image on packaging is for illustration purposes only. Captured footage is dependent on the position and location of the vehicle dash cam & rear/reverse camera. iGO CAM 70R the single camera recording utilises the front dash cam camera only. In this mode it will record at 2.7k (1524p) resolution. If dual camera recording mode is selected then both front dash cam camera & rear/reverse camera will record at Full HD (1080p) resolution. ‡ Reverse Camera—IP66 is defined as no ingress of dust; complete protection against contact (dust tight) and Water projected in powerful jets (12.5 mm nozzle) against the enclosure from any direction shall have no harmful effects. UPP80S—IP54 being, limited protection against dust ingress, (no harmful deposit). Protected against splash water from any direction. UPP1000—IP67 is defined as protected from immersion in water with a depth of up to 1 meter (or 3.3 feet) for up to 30 mins and dust-tight being no ingress of dust. Only applies when not in use and rubber seal attached & totally sealed. Vehicles with 12V battery, Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google Inc.